Route:	143/ Merrimac Trail	**Milepost From:**	4.94	YCL RTE 199	
Subdivision:				**Lane:**	S
Traf Grp:	XV	**Milepost To:**	6.06	YCL RTE 641	
From Intersection:	4.94 Miles:				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.37189		37.01041
To Intersection:	6.06 Miles: JB:JAMES CITY - YORK CL				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.38714		37.00212

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
13345 - ALTERNATE BREAKAWAY CABLE TERMINAL(GR-9)							3	EA
16340 - ASPHALT CONCRETE TY. SM-9.5D	center turn lanes	1.12	12	2		220	867	TON
16340 - ASPHALT CONCRETE TY. SM-9.5D		1.12	2	2			144	TON
16340 - ASPHALT CONCRETE TY. SM-9.5D		1.12	24			220	1734	TON
16340 - ASPHALT CONCRETE TY. SM-9.5D		1.12	2	2			144.55	TON
16522 - FLEXIBLE PAVE.PLANING 0"-2"		1.12	12	2			7884	SY
16522 - FLEXIBLE PAVE.PLANING 0"-2"		1.12	2	2			1314.13	SY
16522 - FLEXIBLE PAVE.PLANING 0"-2"		1.12	24	2			15769	SY
16522 - FLEXIBLE PAVE.PLANING 0"-2"	shoulders	1.12	2	2			1314	SY
24504 - NS REMOVE EXISTING Remove End Terminals							1	EA
24601 - NS REMOVE EXIST. GUARDRAIL Remove Existing Guardrail							25	LF
51615 - 14/1 ENCLOSED COND. CABLE							1700	LF
51912 - SAW CUT 3/8"							6000	LF
51913 - SAW CUT 5/8"							75	LF
54032 - TY.B CL.I PAVE. LINE MARK. 4" - White							8675	LF
54032 - TY.B CL.I PAVE. LINE MARK. 4" - Yellow							7575	LF
54105 - ERAD. OF EXIST.PAVE.MARKING							16250	LF
54106 - Eradication of existing nonlinear pavement marking							270	SF
54217 - SNOW PLOW. RAISED PAVE. MARKER ASPH.CONC							325	EA
54300 - PAVEMENT MESSAGE MARK. ELONGATED ARROW S							18	EA
56021 - 1" PVC CONDUIT							75	LF

Notes:

Rideablity Pay Factor is in effect for this item.

All work must be completed between the hours of: 8:00 PM to 6:00 AM

Route:	143/ Merrimac Trail	**Milepost From:**	4.94	YCL RTE 199	
Subdivision:				**Lane:**	N
Traf Grp:	XV	**Milepost To:**	6.06	YCL RTE 641	
From Intersection:	4.94 Miles: JB:YORK - JAMES CITY CL				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.37058		37.01126
To Intersection:	6.06 Miles: JB:JAMES CITY - YORK CL				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.38702		37.00233

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16242 - AGR.BASE MAT.TY.I OR II NO. 21A OR21B		1.12	2	2			144	TON
16340 - ASPHALT CONCRETE TY. SM-9.5D		1.12	24			220	1734	TON
16340 - ASPHALT CONCRETE TY. SM-9.5D	turn lanes	0.13	12			220	100	TON
16522 - FLEXIBLE PAVE.PLANING 0"-2"	main line	1.12	24	2			15769	SY
16522 - FLEXIBLE PAVE.PLANING 0"-2"	turn lane	0.13	12	2			915	SY
51615 - 14/1 ENCLOSED COND. CABLE							1700	LF
51912 - SAW CUT 3/8"							6000	LF
51913 - SAW CUT 5/8"							75	LF
54032 - TY.B CL.I PAVE. LINE MARK. 4" - White							8875	LF
54032 - TY.B CL.I PAVE. LINE MARK. 4" - Yellow							7575	LF
54042 - TY.B CL.I PAVE. LINE MARK. 24" - White							192	LF
54105 - ERAD. OF EXIST.PAVE.MARKING							16250	LF
54106 - Eradication of existing nonlinear pavement marking							594	SF
54217 - SNOW PLOW. RAISED PAVE. MARKER ASPH.CONC							325	EA
54300 - PAVEMENT MESSAGE MARK. ELONGATED ARROW S							14	EA
56021 - 1" PVC CONDUIT							75	LF

Notes:

Rideablity Pay Factor is in effect for this item.

All work must be completed between the hours of: 8:00 PM to 6:00 AM

Route: 601/ Hicks Island Road **Milepost From:** 1.38
Subdivision: **Lane:** B
Traf Grp: VII **Milepost To:** 3.07
From Intersection: 1.38 Miles: Diascund Rd; SC-603S/N (James City County); Overlap Terminus:NORTH
From Offset: 0 MI **From X/Y Coordinates:** -76.87392 37.40082
To Intersection: 3.07 Miles: Richmond Rd; US-60E; US-60E
To Offset: 0 MI **To X/Y Coordinates:** -76.86304 37.41112

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		1.69	16				15863	SY

Notes:

Route:	629/ Hickory Signpost Road	**Milepost From:**	0	RTE 615	
Subdivision:				**Lane:**	E
Traf Grp:	VII	**Milepost To:**	1.3	RTE 5	
From Intersection:	0 Miles: Ironbound Rd; William Bedford; SC-615N/S (James City County); SC-615N/S (James City County); SC-				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.76173	37.24475	
To Intersection:	1.30 Miles: John Tyler Hwy; VA-5E/W; VA-5E/W				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.74724	37.25452	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		1.3	18				13728	SY
54032 - TY.B CL.I PAVE. LINE MARK. 4" - White	Add Edge lines at one lane bridge.						3400	LF
54032 - TY.B CL.I PAVE. LINE MARK. 4" - Yellow	Add Double Yellow at STOP sign						400	LF
54042 - TY.B CL.I PAVE. LINE MARK. 24"	Add STOPBAR						41	LF

Notes:

Route:	631/ Chickahominy Road	**Milepost From:**	0
Subdivision:		**Lane:**	B
Traf Grp:	IX	**Milepost To:**	5.95
From Intersection:	0 Miles: Forge Rd; SC-610E/W (James City County); SC-610E/W (James City County)		
From Offset:	0 MI	**From X/Y Coordinates:**	-76.84409 37.3735
To Intersection:	5.95 Miles: Richmond Rd; US-60E; US-60E		
To Offset:	0 MI	**To X/Y Coordinates:**	-76.80303 37.37917

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		5.95	25				87267	SY
54032 - TY.B CL.I PAVE. LINE MARK. 4" - Yellow	Double yellow						24825	LF
54042 - TY.B CL.I PAVE. LINE MARK. 24" - White	stop bar						28	LF
54106 - Eradication of existing nonlinear pavement marking							56	SF

Notes:

Route: 639/ Llewellyn Drive	**Milepost From:** 0		
Subdivision:		**Lane:** B	
Traf Grp: V	**Milepost To:** 0.6		
From Intersection:	0 Miles: Richmond Rd; US-60E; US-60E		
From Offset: 0 MI	**From X/Y Coordinates:**	-76.82599	37.40338
To Intersection:	0.60 Miles: Old Stage Rd; SC-746E/W (James City County); SC-746E/W (James City County)		
To Offset: 0 MI	**To X/Y Coordinates:**	-76.82016	37.4091

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.6	16				5632	SY

Notes:

Route:	657/ Ivy Hill Road	**Milepost From:**	0	RTE 60	
Subdivision:				**Lane:**	B
Traf Grp:	V	**Milepost To:**	1.3	Dead End	
From Intersection:	0 Miles: Ivy Hill Rd; Dead End				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.84528		37.39074
To Intersection:	1.30 Miles: Richmond Rd; US-60E; US-60E				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.83861		37.404

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		1.3	24				18304	SY
54032 - TY.B CL.I PAVE. LINE MARK. 4" - Yellow	Add Double Yellow at STOP sign						200	LF
54042 - TY.B CL.I PAVE. LINE MARK. 24" - White	Add Stopbar						12	LF

Notes:

Route:	682/ Neck O Land Road	**Milepost From:**	0	RTE 31 - Jamestown Road	
Subdivision:				**Lane:**	B
Traf Grp:	IX	**Milepost To:**	1.48	DEAD-END	
From Intersection:	0 Miles: Dead End				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.76456		37.21988
To Intersection:	1.48 Miles: Jamestown Rd; VA-31N/S; VA-31N/S				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.74873		37.23667

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		1.48	20				17365	SY
54032 - TY.B CL.I PAVE. LINE MARK. 4" - White	White Edge Lines						15630	LF
54032 - TY.B CL.I PAVE. LINE MARK. 4" - Yellow	Yellow Solid						7815	LF
54032 - TY.B CL.I PAVE. LINE MARK. 4" - Yellow	Yellow Skip Lines						1000	LF
54042 - TY.B CL.I PAVE. LINE MARK. 24" - White	Stop Bar						28	LF
54106 - Eradication of existing nonlinear pavement marking							15	SF
54300 - PAVEMENT MESSAGE MARK. ELONGATED ARROW S							1	EA

Notes:

Route:	699/ Camp Road	**Milepost From:**	0	Dead End	
Subdivision:				**Lane:**	B
Traf Grp:	IV	**Milepost To:**	0.5	Route 60	
From Intersection:	0 Miles: Camp Rd; Dead End				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.85955	37.4045	
To Intersection:					
To Offset:	0 MI	**To X/Y Coordinates:**	-76.85765	37.4093	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.5	22				6453	SY
54032 - TY.B CL.I PAVE. LINE MARK. 4" - Yellow	Add Double yellow at Stopbar						200	LF
54042 - TY.B CL.I PAVE. LINE MARK. 24" - White	Add Stopbar						12	LF

Notes:

Route:	1531/ Fall East	**Milepost From:**	0	RTE 1530	
Subdivision:	SEASONS TRACE			**Lane:**	B
Traf Grp:	V	**Milepost To:**	0.15	CUL-DE-SAC	
From Intersection:	0 Miles: Seasons Trc; SC-1530E/W (James City County); SC-1530E/W (James City County)				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.76151	37.3191	
To Intersection:	0.15 Miles: Cul-de-Sac				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.76054	37.31969	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.15	22				1936	SY

Notes:

Route:	1537/ Winter East	**Milepost From:**	0	RTE 1530	
Subdivision:	SEASONS TRACE			**Lane:**	B
Traf Grp:	VI	**Milepost To:**	0.21	CUL-DE-SAC	
From Intersection:	0 Miles: Seasons Trc; SC-1530E/W (James City County); SC-1530E/W (James City County)				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.76065	37.32061	
To Intersection:	0.21 Miles: Cul-de-Sac				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.75784	37.32003	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.21	22				2710	SY

Notes:

Route:	1540/ Seasons Court	**Milepost From:**	0	CUL-DE-SAC	
Subdivision:	SEASONS TRACE			**Lane:**	B
Traf Grp:	IV	**Milepost To:**	0.06	RTE 1539	
From Intersection:	0 Miles: Cul-de-Sac				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.75589	37.32027	
To Intersection:	0.06 Miles: Se Trc; SC-1539N/S (James City County); SC-1539N/S (James City County)				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.75591	37.31949	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.06	22				774	SY

Notes:

Route:	1541/ Mattaponi Court	**Milepost From:**	0	CUL-DE-SAC	
Subdivision:	SEASONS TRACE			**Lane:**	B
Traf Grp:	VI	**Milepost To:**	0.25	RTE 1530	
From Intersection:	0 Miles: Cul-de-Sac				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.75719	37.31532	
To Intersection:	0.25 Miles: Seasons Trc; SC-1530E/W (James City County); SC-1530E/W (James City County)				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.75477	37.31809	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.25	22				3227	SY

Notes:

Route:	1542/ Teal Way	**Milepost From:**	0	CUL-DE-SAC	
Subdivision:	SEASONS TRACE			**Lane:**	B
Traf Grp:	VI	**Milepost To:**	0.32	RTE 1530	
From Intersection:	0 Miles: Cul-de-Sac				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.75346	37.31488	
To Intersection:	0.32 Miles: Kestrel Ct; SC-1546E/W (James City County); SC-1546E/W (James City County)				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.75166	37.31902	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.32	24				4506	SY

Notes:

Route:	1543/ Pintail Trace	**Milepost From:**	0	CUL-DE-SAC	
Subdivision:	SEASONS TRACE			**Lane:**	B
Traf Grp:	V	**Milepost To:**	0.17	RTE 1542	
From Intersection:	0 Miles: Cul-de-Sac				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.75555	37.31467	
To Intersection:	0.17 Miles: Teal Way; SC-1542S/N (James City County); SC-1542S/N (James City County)				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.75367	37.31591	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.17	22				2194	SY

Notes:

Route:	1544/ Puffin Lane	**Milepost From:**	0	RTE 1542	
Subdivision:	SEASONS TRACE			**Lane:**	B
Traf Grp:	IV	**Milepost To:**	0.07	CUL-DE-SAC	
From Intersection:	0 Miles: Pintail Trc; SC-1543S/N (James City County); SC-1543S/N (James City County)				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.7545	37.31609	
To Intersection:	0.07 Miles: Cul-de-Sac				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.75409	37.31704	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.07	22				903	SY

Notes:

Route:	1545/ Heron Court	**Milepost From:**	0	CUL-DE-SAC	
Subdivision:	SEASONS TRACE			**Lane:**	B
Traf Grp:	IV	**Milepost To:**	0.12	RTE 1532	
From Intersection:	0 Miles: Cul-de-Sac				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.75262	37.31779	
To Intersection:	0.12 Miles: Teal Way; SC-1542S/N (James City County); SC-1542S/N (James City County)				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.75446	37.31849	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.12	22				1549	SY

Notes:

Route:	1546/ Kestrel Court	**Milepost From:**	0	CUL-DE-SAC	
Subdivision:	SEASONS TRACE			**Lane:**	B
Traf Grp:	IV	**Milepost To:**	0.13	RTE 1532	
From Intersection:	0 Miles: Cul-de-Sac				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.75166		37.31902
To Intersection:	0.13 Miles: Kestrel Ct; Cul-de-Sac				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.75166		37.31902

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.13	24				1830	SY

Notes:

Route:	1460/ Williamsburg Galde	**Milepost From:**	0	CUL-DE-SAC	
Subdivision:	POWHATAN SHORES			**Lane:**	B
Traf Grp:	VII	**Milepost To:**	0.32	RTE 682	
From Intersection:	0 Miles: Branscome Blvd; Cul-de-Sac				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.76376		37.22822
To Intersection:	0.32 Miles: Neck O Land Rd; SC-682N/S (James City County); SC-682N/S (James City County)				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.75916		37.22549

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.32	24				4506	SY

Notes:

Route:	618/ Lake Powell Road	**Milepost From:**	0	RTE 682	
Subdivision:	COLONY			**Lane:**	B
Traf Grp:	V	**Milepost To:**	0.22	DEAD END	
From Intersection:					
From Offset:	0 MI	**From X/Y Coordinates:**	-76.75013		37.23495
To Intersection:					
To Offset:	0 MI	**To X/Y Coordinates:**	-76.74633		37.23374

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.22	16				2065	SY

Notes:

Route:	671/ The Colony	**Milepost From:**	0	RTE 682	
Subdivision:	COLONY			**Lane:**	B
Traf Grp:	V	**Milepost To:**	0.36	RTE 618	
From Intersection:	0 Miles: Neck O Land Rd; SC-682N/S (James City County); SC-682N/S (James City County)				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.74962	37.23549	
To Intersection:	0.36 Miles: Lake Powell Rd; SC-618E/W (James City County); SC-618E/W (James City County)				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.74633	37.23374	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.36	16				3379	SY

Notes:

Route:	671/ The Colony	**Milepost From:**	0	RTE 682	
Subdivision:	COLONY			**Lane:**	B
Traf Grp:	V	**Milepost To:**	0.26	RTE 670	
From Intersection:	0 Miles: Neck O Land Rd; SC-682N/S (James City County); SC-682N/S (James City County)				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.74962	37.23549	
To Intersection:	0.26 Miles: The Colony; SC-670W/E (James City County)				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.74567	37.23494	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.26	16				2440	SY

Notes:

Route:	1650/ William Bedford	**Milepost From:**	0	RTE 1657	
Subdivision:	CHANCO'S GRANT			**Lane:**	B
Traf Grp:	V	**Milepost To:**	0.41	RTE 615	
From Intersection:	0 Miles: John Procter E; John Proctor W; SC-1657W/E (James City County); SC-1657W/E (James City County)				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.76839	37.24336	
To Intersection:	0.41 Miles: Hickory Signpost Rd; Ironbound Rd; SC-615N/S (James City County); SC-615N/S (James City County);				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.76173	37.24475	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.41	22				5291	SY
54032 - TY.B CL.I PAVE. LINE MARK. 4" - Yellow	Add Double Yellow at Stopsign						200	LF
54042 - TY.B CL.I PAVE. LINE MARK. 24" - White	Stop Bar						19	LF

Notes:

Route:	1352/ Whittaker Island Road	**Milepost From:**	0	RTE 1357	
Subdivision:	GOVENOR'S LAND			**Lane:**	B
Traf Grp:	V	**Milepost To:**	0.36	RTE 1351	
From Intersection:	0 Miles: Sanctuary Dr; SC-1357E/W (James City County); SC-1357E/W (James City County)				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.83255	37.24628	
To Intersection:	0.36 Miles: Two Rivers Rd; SC-1351E/W (James City County); SC-1351E/W (James City County)				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.83079	37.24923	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.36	50				10560	SY

Notes:

Route:	1353/ West Whittaker Close	**Milepost From:**	0	Route 1354	
Subdivision:	GOVENOR'S LAND			**Lane:**	B
Traf Grp:	V	**Milepost To:**	0.222	Route 1352	
From Intersection:	0 Miles: E Whittaker Close; Whittaker Island Rd; SC-1354S/N (James City County); SC-1352N (James City County);				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.83126	37.24874	
To Intersection:	0.22201202 Miles: SC-1352S (James City County); SC-1352S (James City County)				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.83079	37.24923	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.22	22				2839	SY

Notes:

Route:	1354/ East Whittaker Close	**Milepost From:**	0	CUL-DE-SAC	
Subdivision:	GOVENOR'S LAND			**Lane:**	B
Traf Grp:	IV	**Milepost To:**	0.09	RTE 1353	
From Intersection:	0 Miles: Cul-de-Sac				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.83115	37.24866	
To Intersection:	0.09 Miles: W Whittaker Close; Whittaker Island Rd; SC-1353W/E (James City County); SC-1352N (James City				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.83047	37.24764	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.09	24				1267	SY

Notes:

Route:	1355/ South Freeman Road	**Milepost From:**	0	RTE 1352	
Subdivision:	GOVENOR'S LAND			**Lane:**	B
Traf Grp:	V	**Milepost To:**	0.22	RTE 1351	
From Intersection:	0 Miles: Whittaker Island Rd; SC-1352N (James City County); SC-1352N (James City County)				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.83305	37.24759	
To Intersection:	0.22 Miles: Parkside Ln; Two Rivers Rd; SC-1351E/W (James City County); SC-1351E/W (James City County); SC-				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.83305	37.24759	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.22	24				3098	SY

Notes:

Route:	1356/ East Island Road	**Milepost From:**	0	CUL-DE-SAC	
Subdivision:	GOVENOR'S LAND			**Lane:**	B
Traf Grp:	V	**Milepost To:**	0.2	RTE 1352	
From Intersection:	0 Miles: Cul-de-Sac				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.83511	37.24552	
To Intersection:	0.20 Miles: Whittaker Island Rd; SC-1352N (James City County); SC-1352N (James City County)				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.83309	37.24678	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.2	24				2816	SY

Notes:

Route:	1357/ Sanctuary Drive	**Milepost From:**	0	RTE 1356	
Subdivision:	GOVENOR'S LAND			**Lane:**	B
Traf Grp:	VI	**Milepost To:**	0.28	CUL-DE-SAC	
From Intersection:	0 Miles: E Island Rd; SC-1356N/S (James City County); SC-1356N/S (James City County)				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.83511	37.24552	
To Intersection:	0.28 Miles: Cul-de-Sac				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.83102	37.24529	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.28	24				3942	SY

Notes:

Route:	1359/ Travis Close	**Milepost From:**	0	CUL-DE-SAC	
Subdivision:	GOVENOR'S LAND			**Lane:**	B
Traf Grp:	III	**Milepost To:**	0.11	RTE 1358	
From Intersection:	0 Miles: Cul-de-Sac				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.83809	37.24822	
To Intersection:	0.11 Miles: SC-1358N (James City County); SC-1358N (James City County)				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.8372	37.2469	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.11	24				1549	SY

Notes:

Route:	1361/ Parkside Lane	**Milepost From:**	0	RTE 1355	
Subdivision:	GOVENOR'S LAND			**Lane:**	B
Traf Grp:	V	**Milepost To:**	0.35	CUL-DE-SAC	
From Intersection:	0 Miles: S Freeman Rd; Two Rivers Rd; SC-1355N/S (James City County); SC-1351E/W (James City County); SC-				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.83483	37.25099	
To Intersection:	0.35 Miles: SC-1361S (James City County); Cul-de-Sac				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.83944	37.25276	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.35	46				9445	SY

Notes:

Route:	717/ Druid Court	**Milepost From:**	0	RTE 732	
Subdivision:	KINGSWOOD			**Lane:**	B
Traf Grp:	VI	**Milepost To:**	0.36	CUL-DE-SAC	
From Intersection:	0 Miles: Braddock Rd; SC-732N/S (James City County); SC-732N/S (James City County)				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.74415	37.24994	
To Intersection:	0.36 Miles: Dead End				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.7396	37.25213	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.36	36				7603	SY

Notes:

Route:	718/ Oxford Circle	**Milepost From:**	0	RTE 727	
Subdivision:	KINGSWOOD			**Lane:**	B
Traf Grp:	V	**Milepost To:**	0.09	CUL-DE-SAC	
From Intersection:	0 Miles: Oxford Rd; SC-727W/E (James City County); SC-727W/E (James City County)				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.74223	37.25236	
To Intersection:	0.09 Miles: Dead End				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.7407	37.25286	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.09	36				1901	SY

Notes:

Route:	726/ Kingswood Drive	**Milepost From:**	0
Subdivision:	KINGSWOOD	**Lane:**	B
Traf Grp:	V	**Milepost To:**	0.36
From Intersection:	0 Miles: Spring Rd; SC-1401E/W (James City County); SC-1401E/W (James City County)		
From Offset:	0 MI	**From X/Y Coordinates:**	-76.74178 37.2463
To Intersection:	0.36 Miles: Oxford Rd; SC-727W/E (James City County); SC-727W/E (James City County)		
To Offset:	0 MI	**To X/Y Coordinates:**	-76.73871 37.25082

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.36	22				4646	SY

Notes:

Route:	727/ Oxford Road	**Milepost From:**	0	DEAD END	
Subdivision:	KINGSWOOD			**Lane:**	B
Traf Grp:	VI	**Milepost To:**	0.46	RTE 31	
From Intersection:	0 Miles: Oxford Rd; Dead End				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.74297		37.25293
To Intersection:	0.46 Miles: Jamestown Rd; VA-31N/S; VA-31N/S				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.73663		37.249

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.46	36				9715	SY
54032 - TY.B CL.I PAVE. LINE MARK. 4" - Yellow	Yellow Solid						400	LF
54042 - TY.B CL.I PAVE. LINE MARK. 24" - White	Stop Bar						20	LF
54106 - Eradication of existing nonlinear pavement marking							40	SF

Notes:

Route:	731/ Anthony Wayne Road	**Milepost From:**	0	RTE 732	
Subdivision:	KINGSWOOD			**Lane:**	B
Traf Grp:	V	**Milepost To:**	0.14	RTE 717	
From Intersection:	0 Miles: Braddock Rd; SC-732N/S (James City County); SC-732N/S (James City County)				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.74346	37.25142	
To Intersection:	0.14 Miles: Druid Dr; SC-717S/N (James City County); SC-717S/N (James City County)				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.74113	37.25047	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.14	38				3121	SY

Notes:

Route:	732/ Braddock Road	**Milepost From:**	0	CUL-DE-SAC	
Subdivision:	KINGSWOOD			**Lane:**	B
Traf Grp:	V	**Milepost To:**	0.29	RTE 727	
From Intersection:	0 Miles: Dead End				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.7448	37.24954	
To Intersection:	0.29 Miles: Oxford Rd; SC-727W/E (James City County); SC-727W/E (James City County)				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.74294	37.2529	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.29	38				6465	SY

Notes:

Route:	734/ Dover Road	**Milepost From:**	0	RTE 726	
Subdivision:	KINGSWOOD			**Lane:**	B
Traf Grp:	VI	**Milepost To:**	0.27	RTE 727	
From Intersection:	0 Miles: Kingswood Dr; SC-726N/S (James City County); SC-726N/S (James City County)				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.74141	37.24688	
To Intersection:	0.27 Miles: Oxford Rd; SC-727W/E (James City County); SC-727W/E (James City County)				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.73773	37.24976	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.27	20				3168	SY
54032 - TY.B CL.I PAVE. LINE MARK. 4" - Yellow	Add Double Yellow at STOP sign						400	LF
54042 - TY.B CL.I PAVE. LINE MARK. 24" - White	Add Stop Bar						14	LF

Notes:

Route:	1402/ West Kingswood Drive	**Milepost From:**	0	CUL-DE-SAC	
Subdivision:	KINGSWOOD			**Lane:**	B
Traf Grp:	VII	**Milepost To:**	0.46	RTE 1401	
From Intersection:	0 Miles: Dead End				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.74892	37.24272	
To Intersection:	0.46 Miles: Spring Rd; SC-1401E/W (James City County)				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.74377	37.24753	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.46	36				9715	SY

Notes:

Route:	1406/ South Sulgrave Court	**Milepost From:**	0	RTE 1402	
Subdivision:	KINGSWOOD			**Lane:**	B
Traf Grp:	III	**Milepost To:**	0.07	CUL-DE-SAC	
From Intersection:	0 Miles: Dead End				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.74751		37.24387
To Intersection:	0.07 Miles: Dead End				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.7478		37.24469

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.07	50				2053	SY

Notes:

Route:	1406/ North Sulgrave Court	**Milepost From:**	0	RTE 1402	
Subdivision:	KINGSWOOD			**Lane:**	B
Traf Grp:	III	**Milepost To:**	0.02	CUL-DE-SAC	
From Intersection:	0 Miles: Dead End				
From Offset:	0 MI	**From X/Y Coordinates:**	-76.74751	37.24387	
To Intersection:	0.02 Miles: W Kingswood Dr; SC-1402S/N (James City County); SC-1402S/N (James City County)				
To Offset:	0 MI	**To X/Y Coordinates:**	-76.74761	37.24418	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.02	75				880	SY

Notes: